



U.S. Department
of Transportation

**National Highway
Traffic Safety
Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE
(800) 424-9393
Wash. D.C. Area 366-0123



PEDESTRIAN CASE SUMMARY

PSU 82 CASE NO. 647P TYPE OF ACCIDENT Truck turning left/Pedestrian walking

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was southbound in lane two of a four lane, two-way street and made a left turn at an uncontrolled intersection. A pedestrian was walking south when the front left corner of vehicle 1 struck the right side of the pedestrian, throwing the pedestrian forward to the ground.

B. PEDESTRIAN PROFILE

Pedestrian No.	Age	Sex	Treatment/Mortality	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
				Body Region	Ana. Struc.	AIS	Injury Source
01	69	Female	Hospitalized	Right Pelvis	Fracture	2	Headlight Area

Body Region

Head
Face
Throat
Chest
Abdomen/Pelvis
Spine
Upper Extremity
Lower Extremity
External

Type of Anatomic Structure

Whole Area
Vessels
Nerves
Organs
Skeletal
Head-LOC
Skin-Burn
Skin-Other

Abbreviated Injury Scale

(1) Minor injury
(2) Moderate injury
(3) Serious injury
(4) Severe injury
(5) Critical injury
(6) Maximum (untreatable)
(7) Injured, unknown severity

C. VEHICLE PROFILE

Vehicle No.	Class of Vehicle	Year/Make/Model	Most Severe Damage Based on Vehicle Inspection	
			Damage Plane	Damage Description
01	Large Pick-up	93/Chevrolet/C10	Front	Minor- dents, smears, scratches

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation
National Highway Traffic Safety
Administration


ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY



PSU No. 82
Case Number—Stratum 647 P

Indicate
North






ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

PSU No. 82

Case Number—Stratum 647P

Indicate
North





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number <u>82</u>		Case Number-Stratum <u>6</u> <u>47</u> <u>P</u>	
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION		SCALED DIAGRAM	
<ul style="list-style-type: none"> document reference point and reference line relative to physical features documentation of all accident induced physical evidence including (if applicable): <ul style="list-style-type: none"> a) vehicle skid marks b) pedestrian contacts with ground or object c) vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from vehicle f) final resting points (FRP) for pedestrian and vehicle documentation of the physical plant including: <ul style="list-style-type: none"> a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) 	Surface Type <u>Asphalt</u>	<ul style="list-style-type: none"> north arrow placed on diagram grade measurements for all applicable roadways scaled representations of the physical plant including: <ul style="list-style-type: none"> a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: <ul style="list-style-type: none"> a) physical evidence, or b) reconstructed accident dynamics 	
	Surface Condition <u>Wet</u>		
	Coefficient of Friction <u>.60</u>		
	Grade (v/h) Measurement		
	<ul style="list-style-type: none"> a) at impact <u>+3/122</u> b) between impact and final rest <u>+3/122</u> 		
Pedestrian Travel Direction <u>South</u>	Vehicle Travel Direction <u>South East</u>		
	Number of Travel Lanes <u>4</u>		
Reference Point <u>Light Pole on N.E. Corner</u>		Reference Line: <u>North CURB Edge</u>	
Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line	
<u>Approx P.O.I.</u>	<u>1.2 W</u>	<u>5.5 → 6.0 S</u>	
<u>Front (VI) P.O.I. → Final Rest ≈ 4 feet / 1.22m</u>			
<u>Approx (VI) Front Final Rest</u>			



PEDESTRIAN ACCIDENT FORM

1. Primary Sampling Unit Number

82

2. Case Number - Stratum

647 P

IDENTIFICATION

3. Number of General Vehicle
Forms Submitted

0 1

4. Date of Accident
(Month, Day, Year)

7
9 4

5. Time of Accident

1754

Code reported military time of accident.

NOTE: Midnight = 2400
Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use 0

7. ✓ SS16 Pedestrian Crash Data Study 1

8. SS17 Impact Fires 0

9. SS18 0

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events
in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. 0 1	13. 0 1	14. 15	15. F	16. 7 2	17. 0 0	18. 0

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

- (72) Pedestrian



PEDESTRIAN ASSESSMENT FORM

<p>1. Primary Sampling Unit Number <u>82</u></p> <p>2. Case Number - Stratum <u>6</u> <u>42</u> <u>P</u></p> <p>3. Pedestrian Number <u>0</u> <u>1</u></p>	<p>10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown</p> <p><u>115</u> pounds X .4536 = _____ kilograms</p>
--	---

PEDESTRIAN'S CHARACTERISTICS

PEDESTRIAN'S PRE-AVOIDANCE ACTIONS

<p>4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown</p> <p>5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown</p> <p>6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown <u>64</u> inches X 2.54 = _____ centimeters</p> <p>7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown <u>46.4</u> inches X 2.54 = _____ centimeters</p> <p>8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown <u>86.3</u> inches X 2.54 = _____ centimeters</p> <p>9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown <u>133.3</u> inches X 2.54 = _____ centimeters</p>	<p>11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): _____ (9) Unknown</p> <p>12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): _____ (9) Unknown</p> <p>13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): _____ (99) Unknown</p> <p>14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): _____ (9) Unknown</p>
--	---

PEDESTRIAN'S AVOIDANCE ACTIONS15. Pedestrian's First Avoidance Actions 07

- (00) No avoidance actions
- (01) Stopped
- (02) Accelerated pace
- (03) Ran away (along vehicle path)
- (04) Jumped
- (05) Turned toward vehicle
- (06) Turned away from vehicle
- (07) Dove or fell away

Used hand(s) to :

- (11) Vault corner of vehicle
- (12) Vault onto vehicle
- (13) Brace against vehicle
- (14) Crouched and braced hands against vehicle
- (98) Other (specify): _____
- (99) Unknown

PEDESTRIAN'S ORIENTATION AT IMPACT16. Pedestrian's Head Orientation at Initial Impact 3

- (1) To front
- (2) To left
- (3) To right
- (4) Up
- (5) Down
- (8) Other (specify): _____
- (9) Unknown

17. Pedestrian's Body (Chest) Orientation at Initial Impact 4

- (1) Facing vehicle
- (2) Facing away
- (3) Left side to vehicle
- (4) Right side to vehicle
- (8) Other (specify): _____
- (9) Unknown

18. Pedestrian's Arm Orientation at Initial Impact 11

- (01) At sides
- (02) Folded across chest
- (03) Hands clasped behind back
- (04) Hands on hips
- (05) Hands in pockets

One or both arms:

- (06) Extended upward
- (07) Extended to side
- (08) Extended forward bracing
- (09) Extended, holding object (briefcase, suitcase, etc.)
- (10) Holding object (young child, grocery bag, etc.) in arm(s)
- (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
- (98) Other (specify): _____
- (99) Unknown

19. Pedestrian's Leg Orientation at Initial Impact 03

- (01) Together
- (02) Apart-laterally
- (03) Apart-right leg forward
- (04) Apart-left leg forward
- (05) Apart- forward leg unknown
- (06) Left foot off the ground
- (07) Right foot off the ground
- (08) Both feet off the ground
- (98) Other (specify): _____
- (99) Unknown

20. Vehicle/Pedestrian's Interaction 01

- (01) Carried by vehicle, wrapped position
- (02) Carried by vehicle, slid to windshield
- (03) Carried by vehicle, position unknown
- (04) Passed over vehicle top
- (05) Thrown straight forward
- (06) Thrown forward and left of vehicle
- (07) Thrown forward and right of vehicle
- (08) Knocked to pavement, forward
- (09) Knocked to pavement, left of vehicle
- (10) Knocked to pavement, right of vehicle
- (11) Knocked to pavement, run over or dragged by vehicle
- (12) Shunted to left (corner impacts only)
- (13) Shunted to right (corner impacts only)
- (14) Bumped or pushed aside
- (15) Snagged, rotated
- (16) Snagged, dragged by vehicle
- (17) Foot or legs run over
- (98) Other (specify): _____
- (99) Unknown

OFFICIAL RECORDS

INJURY CONSEQUENCES

21. Police Reported Alcohol Presence
For Pedestrian

- (0) No alcohol present
(1) Yes alcohol present
(7) Not reported
(9) Unknown

22. Alcohol Test Result For Pedestrian
Code actual value (decimal implied
before first digit—0.xx)

- (95) Test refused
(96) None given
(97) AC (Alcohol Content)
test performed, results unknown
(99) Unknown if test given

Source: PAR

23. Police Reported Other Drug Presence
For Pedestrian

- (0) No other drug(s) present
(1) Yes other drug(s) present
(7) Not reported
(9) Unknown

24. Other Drug Specimen Test Result
For Pedestrian

- (0) No specimen test given
(1) Drug not found in specimen
(2) Drug found in specimen,
(specify): _____
(3) Specimen test given,
results unknown or not obtained
(9) Unknown

25. Injury Severity (Police Rating)

- (0) O - No injury
(1) C - Possible injury
(2) B - Nonincapacitating injury
(3) A - Incapacitating injury
(4) K - Killed
(5) U - Injury, severity unknown
(6) Died prior to accident
(9) Unknown

26. Treatment - Mortality

- (0) No treatment
(1) Fatal
(2) Fatal - ruled disease (specify): _____

Nonfatal

- (3) Hospitalization
(4) Transported and released
(5) Treatment at scene - non-transported
(6) Treatment later
(8) Treatment - other (specify): _____
(9) Unknown

27. Type Of Medical Facility
(for Initial Treatment)

- (0) Not treated at a medical facility
(1) Trauma center
(2) Hospital
(3) Medical clinic
(4) Physician's office
(5) Treatment later at medical facility
(8) Other (specify): _____
(9) Unknown

28. Hospital Stay

- (00) Not Hospitalized
_____ Code the number of days (up through 60)
that the pedestrian stayed in a hospital.
(61) 61 days or more
(99) Unknown

29. Working Days Lost

- _____ Code the number of days
(up through 60) that the pedestrian
lost from work due to the accident
(00) No working days lost
(61) 61 days or more
(62) Fatally injured
(97) Not working prior to accident
(99) Unknown

STOP - VARIABLES 30 THROUGH 37 ARE COMPLETED BY THE ZONE CENTER

30. Glasgow Coma Scale (GCS) Score 02
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the
 initial GCS Score recorded at medical
 facility.
 (97) Injured, details unknown
 (99) Unknown if injured

31. Was the Pedestrian Given Blood? 1

- (1) No - blood not given
 (2) Yes - blood given
 (specify units): _____
 (9) Unknown if blood given

32. Arterial Blood Gases (ABG) - HCO₃ 01
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

33. Time to Death 06

- Code number of hours from time of
 accident to time of death up through 24
 hours. If time of death is greater than 24
 hours, code number of days. (Note: 1 day
 =31, 2 days = 32, ... n days = 30 +n up
 through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown

34. 1st Medically Reported Cause of Death 0035. 2nd Medically Reported Cause of Death 0036. 3rd Medically Reported Cause of Death 00

- Code the Pedestrian Injury from line
 number(s) for the medically reported
 injury(s) which reportedly contributed to
 this pedestrian's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific
 injuries are not linked to cause
 of death. (specify): _____

- (97) Other result (includes fatal ruled disease)
 (specify): _____
 (99) Unknown

37. Number of Recorded Injuries for
This Pedestrian 06

- Code the actual number of
 injuries recorded for this pedestrian.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION?

NO [] YES ☒ []

UPDATE CANDIDATE?

NO ☒ [] YES []



U.S. Department of Transportation

National Highway Traffic Safety
Administration

PEDESTRIAN INJURY FORM

Form Approved
O.M.B. No. 2127-0021NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

82

3. Pedestrian Number

01

2. Case Number - Stratum

647P

4. Blank

XX

INJURY DATA

Record below the actual injuries sustained by this pedestrian in **CHRONOLOGICAL** order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.



	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 7	6. 8	7. 9	8. 02	9. 02	10. 1	11. 1	12. 700	13. 1	14. 1	15. 2	16. 2	17. 2
2nd	18. 7	19. 8	20. 9	21. 04	22. 02	23. 1	24. 1	25. 700	26. 1	27. 1	28. 2	29. 2	30. 2
3rd	31. 7	32. 7	33. 9	34. 04	35. 02	36. 1	37. 1	38. 770	39. 1	40. 1	41. 3	42. 2	43. 2
4th	44. 7	45. 7	46. 9	47. 04	48. 02	49. 1	50. 1	51. 703	52. 1	53. 1	54. 3	55. 2	56. 2
5th	57. 7	58. 8	59. 5	60. 26	61. 00	62. 2	63. 1	64. 703	65. 2	66. 1	67. 2	68. 2	69. 2
6th	70. 7	71. 7	72. 9	73. 04	74. 02	75. 1	76. 1	77. 770	78. 1	79. 1	80. 2	81. 3	82. 2
7th	83.	84.	85.	86.	87.	88.	89.	90.	91.	92.	93.	94.	95.
8th	96.	97.	98.	99.	100.	101.	102.	103.	104.	105.	106.	107.	108.
9th	109.	110.	111.	112.	113.	114.	115.	116.	117.	118.	119.	120.	121.
10th	122.	123.	124.	125.	126.	127.	128.	129.	130.	131.	132.	133.	134.

PEDESTRIAN INJURY DATA

[illegible]

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA**OFFICIAL**

- (1) Autopsy records with or without hospital/medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- (4) Private physician, walk-in or emergency clinic

UNOFFICIAL

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- (8) Other source (specify): _____
- (9) Police

INJURY SOURCE CONFIDENCE LEVEL

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

DIRECT/INDIRECT INJURY

- (1) Direct contact injury
- (2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

STRIKING PROFILE

- (0) Injury not from vehicle contact
- (1) Flat-Narrow (< 15 centimeters)
- (2) Flat-Wide (\geq 15 centimeters)
- (3) Rounded (contoured)
- (4) Rounded edge
- (5) Sharp edge
- (8) Other (specify): _____
- (9) Unknown

TYPE OF DAMAGE

- (0) Injury not from vehicle contact
- (1) No damage/contact
- (2) Scratch (Scuff, Cloth Transfer, Smear)
- (3) Dent
- (4) Large deformation
- (5) Cracked, fractured, shattered
- (6) Separated from vehicle
- (7) Noncontact injury
- (8) Other specify: _____
- (9) Unknown

DAMAGE DEPTH

- (0) Injury not from vehicle contact
- (1) No residual damage
- (2) Surface only damage
- (3) Crush depth > 0 to 2 centimeters
- (4) Crush depth > 2 to 5 centimeters
- (5) Crush depth > 5 to 10 centimeters
- (8) Other specify: _____
- (9) Unknown

PEDESTRIAN INJURY CLASSIFICATION**Body Region**

- (1) Head
- (2) Face
- (3) Neck
- (4) Thorax
- (5) Abdomen
- (6) Spine
- (7) Upper Extremity
- (8) Lower Extremity
- (9) Unspecified

Type of Anatomic Structure

- (1) Whole Area
- (2) Vessels
- (3) Nerves
- (4) Organs (includes muscles/ligaments)
- (5) Skeletal (includes joints)
- (6) Head - LOC
- (9) Skin

Specific Anatomic Structure

- Whole Area
- (02) Skin - Abrasion
 - (04) Skin - Contusion
 - (06) Skin - Laceration
 - (08) Skin - Avulsion
 - (10) Amputation
 - (20) Burn
 - (30) Crush
 - (40) Degloving
 - (50) Injury - NFS
 - (90) Trauma, other than mechanical

Head - LOC

- (02) Length of LOC
- (04, 06, 08) Level of Consciousness
- (10) Concussion

Spine

- (02) Cervical
- (04) Thoracic
- (06) Lumbar

Vessels, Nerves, Organs, Bones, Joints
are assigned consecutive two digit numbers beginning with 02

Level of Injury

Specific injuries are assigned consecutive two-digit numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

Aspect

- (1) Right
- (2) Left
- (3) Bilateral
- (4) Central
- (5) Anterior
- (6) Posterior
- (7) Superior
- (8) Inferior
- (9) Unknown
- (0) Whole region

INJURY SOURCEFRONT

- 700 Front bumper
- 701 Front lower valance/spoiler
- 702 Front grille
- 703 Hood edge and/or trim
- 704 Hood ornament (fixed)
- 705 Hood ornament (spring loaded)
- 706 Headlight
- 707 Retractable headlight door (Open/Closed)
- 708 Turn signal/parking lights
- 718 Other front or add on object (specify): _____
- 719 Unknown front object

Left Side Components

- 720 Front fender side surface
- 721 Front antenna
- 722 A1 pillar
- 723 A2 pillar
- 724 B pillar
- 725 C pillar
- 726 D pillar
- 728 Other pillar (specify): _____
- 729 Left side roof rail
- 730 Left side door surface
- 731 Left side door handle
- 732 Left side mirror fixed housing
- 733 Left side folding mirror
- 734 Left side glazing forward of B pillar
- 735 Left side glazing rearward of B pillar
- 736 Left side back fender or quarter panel
- 737 Rear antenna
- 738 Other left side object (specify): _____
- 739 Unknown left side component

Right Side Components

- 740 Front fender side surface
- 741 Front antenna
- 742 A1 pillar
- 743 A2 pillar

- 744 B pillar
- 745 C pillar
- 746 D pillar
- 748 Other pillar (specify): _____
- 749 Right side roof rail
- 750 Right side door surface
- 751 Right side door handle
- 752 Right side mirror fixed housing
- 753 Right side folding mirror
- 754 Right side glazing forward of B pillar
- 755 Right side glazing rearward of B pillar
- 756 Rear antenna
- 757 Rear fender or quarter panel
- 758 Other right side object (specify): _____
- 759 Unknown right side component

Back Components

- 760 Rear (back) bumper
- 761 Tailgate
- 762 Hatchback, vertical surface
- 768 Other back component (specify): _____
- 769 Unknown back component

Top Components

- 770 Hood surface
- 771 Hood surface reinforced by under hood component
- 772 Front fender top surface
- 773 Cowl area
- 774 Wiper blade & mountings
- 775 Windshield glazing
- 776 Front header
- 777 Roof surface
- 778 Backlight glazing
- 779 Rear header
- 780 Hatchback
- 781 Rear trunk lid
- 788 Other top component (specify): _____
- 789 Unknown top component

Wheels / tires

- 790 Left front wheel / tire
- 791 Right front wheel / tire
- 792 Left rear wheel / tire
- 793 Right rear wheel / tire
- 798 Other wheel / tire (specify): _____
- 799 Unknown wheel / tire

Undercarriage components

- 800 Front crossmember
- 801 Steering assembly/Front suspension
- 802 Oil pan
- 803 Exhaust system pipe
- 804 Transmission
- 805 Drive shaft
- 806 Catalytic converter
- 807 Muffler
- 808 Floor pan
- 809 Fuel tank
- 810 Rear suspension
- 818 Other undercarriage component (specify): _____
- 819 Unknown undercarriage component

Accessories

- 820 Air scoop, deflector
- 821 Cellular or CB radio antenna
- 822 Emergency lights or bar
- 823 Fog lights
- 824 Luggage, ski, or bike rack
- 825 Cargo (specify): _____
- 826 Spare tire
- 827 Spotlight
- 828 Other accessory (specify): _____

Other Object or Vehicle in Environment

- 947 Ground
- 948 Other object (specify): _____
- 949 Unknown object in environment
- 959 Unknown object on contacting vehicle
- 997 Noncontact injury source
- 999 Unknown injury source

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

☐ No

☐ Yes

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level
(mg/dl)

BAL = ____

Glasgow Coma
Scale Score

GCSS = ____

Units of Blood
Given

Units = ____


Arterial Blood Gases

Ph = ____

PO₂ = ____



PCO₂ ____

HCO₃ ____



OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





1. Primary Sampling Unit Number

82

2. Case Number - Stratum

6 47 P

3. Vehicle Number

0 1

VEHICLE IDENTIFICATION

4. Vehicle Model Year

93

Code the last two digits of the model year
(99) Unknown

5. Vehicle Make (specify):

20

Applicable codes are found in your
NASS PCDS Data Collection, Coding and
Editing Manual.
(99) Unknown

6. Vehicle Model (specify):

481

Applicable codes are found in your
NASS PCDS Data Collection, Coding and
Editing Manual.
(99) Unknown

7. Body Type

31

Note: Applicable codes may be found on
the back of this page.

8. Vehicle Identification Number

2GCEC19K1R1

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

Left justify; Slash zeros and letter Z (0 and Z)
No VIN—Code all zeros
Unknown—Code all nines

OFFICIAL RECORDS

9. Police Reported Travel Speed

999

Code to the nearest kmph (NOTE: 000 means
less than 0.5 kmph)
(160) 159.5 kmph and above
(999) Unknown

~~10~~ mph X 1.6093 = _____ kmph

10. Speed Limit

(000) No statutory limit
Code posted or statutory speed limit
in kmph
(999) Unknown

30 mph X 1.6093 = _____ kmph

11. Police Reported Alcohol Presence For Driver

(0) No alcohol present
(1) Yes alcohol present
(7) Not reported
(8) No driver present
(9) Unknown

12. Alcohol Test Result For Driver

Code actual value (decimal implied
before first digit—0.xx)
(95) Test refused
(96) None given
(97) AC (Alcohol Content) test
performed, results unknown
(98) No driver present
(99) Unknown

Source: PAR

13. Police Reported Other Drug Presence
For Driver

(0) No other drug(s) present
(1) Yes other drug(s) present
(7) Not reported
(8) No driver present
(9) Unknown

14. Other Drug Specimen Test Result
For Driver

(0) No specimen test given
(1) Drug not found in specimen
(2) Drug found in specimen
(specify): _____
(3) Specimen test given, results
unknown or not obtained
(8) No driver present
(9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify): _____

- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine - more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles ($\leq 4,500$ kgs GVWR)

- (14) Compact utility (Jeep CJ-2 - CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks ($\leq 4,500$ kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van ($\leq 4,500$ kgs GVWR)
- (23) Van based motorhome ($\leq 4,500$ kgs GVWR)
- (24) Van based school bus ($\leq 4,500$ kgs GVWR)
- (25) Van based other bus ($\leq 4,500$ kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify): _____

- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, $\leq 4,500$ kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks ($\leq 4,500$ kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify): _____

- (59) Unknown bus type

Medium/Heavy Trucks ($> 4,500$ kgs GVWR)

- (60) Step van ($> 4,500$ kgs GVWR)
- (61) Single unit straight truck ($4,500$ kgs $<$ GVWR $\leq 8,850$ kgs)
- (62) Single unit straight truck ($8,850$ kgs $<$ GVWR $\leq 12,000$ kgs)
- (63) Single unit straight truck ($> 12,000$ kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify): _____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS

15. Vehicle Curb Weight

Code weight to nearest
10 kilograms.

(045) Less than 450 kilograms

(610) 6,100 kilograms or more

(999) Unknown

lbs X .4536 = 1,867 kgs

Source: _

16. Vehicle Cargo Weight

Code weight to nearest
10 kilograms.

(000) Less than 5 kilograms

(450) 4,500 kilograms or more

(999) Unknown

lbs X .4536 = kgs

OTHER DATA

17. Vehicle Special Use (This Trip)

(0) No special use

(1) Taxi

(2) Vehicle used as school bus

(3) Vehicle used as other bus

(4) Military

(5) Police

(6) Ambulance

(7) Fire truck or car

(8) Other (specify):

(9) Unknown

RECONSTRUCTION DATA

18. Impact Speed

Nearest kmph

(NOTE: 000 means greater than .5 kmph)

(160) 159.5 kmph and above

(999) Unknown

19. Accuracy Range of Impact Speed Estimate

(0) No reconstruction

(1) Less than 2 kmph

(2) ≥ 2 kmph and ≤ 8 kmph

(3) ≥ 9 kmph and ≤ 16 kmph

(4) ≥ 17 kmph and ≤ 26 kmph

(9) Unknown

20. Data Source of Impact Speed

(0) No impact speed calculated

(1) Zone center calculation

(2) Police calculation

(3) Driver/witness/police estimates

PRECRASH DATA

21. Driver's Attention to Driving

(Prior to Recognition of Critical Event)

(1) Full attention to driving

(2) Distracted by other occupant

(3) Distracted by moving object in vehicle

(4) Distracted by outside person, object, or event

(5) Talking on cellular phone or CB radio

Specify:

(6) Sleeping or dozing while driving

(8) Other (specify):

(9) Unknown

22. Pre-Event Vehicle Movement

(Prior to Recognition of Critical Event)

(01) Going straight

(02) Slowing or stopping in traffic lane

(03) Starting in traffic lane

(04) Stopped in traffic lane

(05) Passing or overtaking another vehicle

(06) Disabled or parked in travel lane

(07) Leaving a parking position

(08) Entering a parking position

(09) Turning right

(10) Turning left

(11) Making a U-turn

(12) Backing up (other than for parking position)

(13) Negotiating a curve

(14) Changing lanes

(15) Merging

(16) Successful avoidance maneuver to a previous critical event

(97) Other (specify):

(98) No driver present

(99) Unknown

STOP - VARIABLES 18 THROUGH 20
ARE COMPLETED BY THE ZONE CENTER

23. Critical Precrash Event

This Vehicle Loss of Control Due To:

- (01) Blow out or flat tire
(02) Stalled engine
(03) Disabling vehicle failure (e.g., wheel fell off) (specify): _____
(04) Non-disabling vehicle problem (e.g., hood flew up) (specify): _____
(05) Poor road conditions (puddle, pot hole, ice, etc.) (specify): _____
(06) Traveling too fast for conditions
(08) Other cause of control loss (specify): _____

- (09) Unknown cause of control loss

This Vehicle Traveling

- (10) Over the lane line on left side of travel lane
(11) Over the lane line on right side of travel lane
(12) Off the edge of the road on the left side
(13) Off the edge of the road on the right side
(14) End departure
(15) Turning left at intersection
(16) Turning right at intersection
(17) Crossing over (passing through) intersection
(19) Unknown travel direction

Other Motor Vehicle In Lane

- (50) Stopped
(51) Traveling in same direction with lower speed (i.e., lower steady speed or decelerating)
(52) Traveling in same direction with higher speed
(53) Traveling in opposite direction
(54) In crossover
(55) Backing
(59) Unknown travel direction of other motor vehicle in lane

Other Motor Vehicle Encroaching Into Lane

- (60) From adjacent lane (same direction)—over left lane line
(61) From adjacent lane (same direction)—over right lane line
(62) From opposite direction—over left lane line
(63) From opposite direction—over right lane line
(64) From parking lane
(65) From crossing street, turning into same direction
(66) From crossing street, across path
(67) From crossing street, turning into opposite direction
(68) From crossing street, intended path not known
(70) From driveway, turning into same direction
(71) From driveway, across path
(72) From driveway, turning into opposite direction
(73) From driveway, intended path not known
(74) From entrance to limited access highway
(78) Encroachment by other vehicle—details unknown

Pedestrian or Pedalcyclist, or Other Nonmotorist

- (80) Pedestrian in roadway
(81) Pedestrian approaching roadway
(82) Pedestrian—unknown location

- (83) Pedalcyclist or other nonmotorist in roadway (specify): _____
(84) Pedalcyclist or other nonmotorist approaching roadway (specify): _____
(85) Pedalcyclist or other nonmotorist—unknown location (specify): _____

Object or Animal

- (87) Animal in roadway
(88) Animal approaching roadway
(89) Animal—unknown location
(90) Object in roadway
(91) Object approaching roadway
(92) Object—unknown location
(98) Other critical precrash event (specify): _____

- (99) Unknown

24. Attempted Avoidance Maneuver

- (00) No driver present
(01) No avoidance actions
(02) Braking (no lockup)
(03) Braking (lockup)
(04) Braking (lockup unknown)
(05) Releasing brakes
(06) Steering left
(07) Steering right
(08) Braking and steering left
(09) Braking and steering right
(10) Accelerating
(11) Accelerating and steering left
(12) Accelerating and steering right
(98) Other action (specify): _____
(99) Unknown

25. Precrash Stability After Avoidance Maneuver

- (0) No driver present
(1) No avoidance maneuver
(2) Tracking
(3) Skidding longitudinally—rotation less than 30 degrees
(4) Skidding laterally—clockwise rotation
(5) Skidding laterally—counterclockwise rotation
(8) Other vehicle loss-of-control (specify): _____
(9) Precrash stability unknown

26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)

- (0) No driver present
(1) No avoidance maneuver
(2) Vehicle stayed in travel lane where avoidance maneuver was initiated
(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was initiated
(5) Vehicle departed roadway
(6) Avoidance maneuver initiated off roadway
(9) Directional consequences unknown

ENVIRONMENTAL DATA

27. Relation to Junction

- (0) Non-junction
(1) Interchange area

Non-Interchange

- (2) Intersection
(3) Intersection-related
(4) Drive, alley access related
(5) Other non-interchange (specify):

- (6) Unknown type of non-interchange
(9) Unknown if interchange

28. Trafficway Flow

- (1) Not physically divided (two way traffic)
(2) Divided trafficway - median strip without positive barrier
(3) Divided trafficway - median strip with positive barrier
(4) One way trafficway
(9) Unknown

29. Number of Travel Lanes

- (1) One
(2) Two
(3) Three
(4) Four
(5) Five
(6) Six
(7) Seven or more
(9) Unknown

30. Roadway Alignment

- (1) Straight
(2) Curve right
(3) Curve left
(9) Unknown

31. Roadway Profile

- (1) Level
(2) Uphill Grade (> 2%)
(3) Downhill Grade (> 2%)
(4) Hillcrest
(5) Sag
(9) Unknown

32. Roadway Surface Type

- (1) Concrete
(2) Bituminous (asphalt)
(3) Brick or Block
(4) Slag, gravel or stone
(5) Dirt
(8) Other (specify):
(9) Unknown

33. Roadway Surface Condition

- (1) Dry
(2) Wet
(3) Snow and slush
(4) Ice
(5) Sand, dirt or oil
(8) Other (specify):
(9) Unknown

34. Traffic Control Device

- (0) No traffic control(s)
(1) Trafficway traffic control signal (not RR crossing)

Regulatory or School Zone Sign (Not RR Crossing)

- (2) Stop sign
(3) Yield sign
(4) School zone sign
(5) Other sign (specify):

- (6) Unknown sign
(7) Warning sign (not RR crossing)
(8) Miscellaneous/other controls including RR controls (specify):
(9) Unknown

35. Traffic Control Device Functioning

- (0) No traffic control
(1) Not Functioning
(2) Functioning
(9) Unknown

36. Light Conditions

- (1) Daylight
(2) Dark
(3) Dark, but lighted
(4) Dawn
(5) Dusk
(9) Unknown

37. Atmospheric Conditions

- (1) No adverse atmospheric related driving conditions
(2) Rain
(3) Sleet
(4) Snow
(5) Fog
(6) Rain and fog
(7) Sleet and fog
(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):
(9) Unknown

97/

82-647P

Vehicle 1993 Chevrolet CK PU (Full size)
DR 2 12/11/1945 male

Ped 69 YOF
(8 AR →) 64 inches (163 cm)
115 lbs

Asphalt Road way

Wet .55

on Brakes at
POI

~~Did not see anything until felt & heard bump~~
hit Brakes immediately
add- ~~see~~ ~~reaction time to see!~~

retire Touched 1.5 meters POI to FRP?

~~pass a move no evidence.~~
~~ped.~~

Driver est 10-15

~~Bump~~ speed 8-10 mph max. 8.5m Hip 69 YOF

$$V = \sqrt{2.5 + 9}$$
$$= \sqrt{(2)(15)(0.65)(32.2)}$$

$$= 13.3 \text{ FPS} = 9.0 \text{ mph} = 14.5 \text{ KPH}$$

15 KPH



PEDESTRIAN EXTERIOR VEHICLE FORM

1. Primary Sampling Unit Number

82

3. Vehicle Number

0 1

2. Case Number - Stratum

6 47 P

VEHICLE IDENTIFICATION

VIN 26CEC19K1P1 [REDACTED] Model Year 93

Vehicle Make (specify): Chevrolet

Vehicle Model (specify): C/Pickup

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

Steel

PEV08 Hood Length

115 cm

PEV09 Hood Width-Forward Opening

163 cm

PEV10 Hood Width-Midway

166 cm

PEV11 Hood Width-Rear Opening

167 cm

PEV14 Front Bumper Cover Material

St. Steel w/ Plastic Strip

PEV15 Front Bumper Reinforcement Material

St. Steel

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

041 cm

PEV17 Front Bumper-Top Height

057 cm

PEV18 Forward Hood Opening

093 cm

PEV19 Front Bumper Lead

010 cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

096 cm

PEV21 Ground to Front/Top Transition Point

091 cm

PEV22 Ground to Rear Hood Opening

214 cm

PEV23 Ground to Base of Windshield

223 cm


PEV24 Ground to Top of Windshield

253 cm

PEV25 Ground to Head Contact

998 cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 183 cm

PEDESTRIAN SIDE CONTACT WORK SHEET

PEV06 Hood Material _____

PEV08 Hood Length _____ cm

PEV09 Hood Width-Forward Opening _____ cm

PEV10 Hood Width-Midway _____ cm

PEV11 Hood Width-Rear Opening _____ cm

VERTICAL MEASUREMENTS

PEV26 Ground Clearance _____ cm

PEV27 Side Bumper-Bottom Height _____ cm

PEV28 Side Bumper-Top Height _____ cm

PEV29 Centerline of Wheel _____ cm

PEV30 Top of Tire _____ cm

PEV31 Top of Wheel Well Opening _____ cm

PEV32 Bottom of A-Pillar at Windshield _____ cm

PEV33 Top of A-Pillar at Windshield _____ cm

PEV34 Top of Side View Mirror _____ cm

LATERAL MEASUREMENTSPEV35 C_L to A-Pillar at Bottom of Windshield _____ cmPEV36 C_L to A-Pillar at Top of Windshield _____ cmPEV37 C_L to Maximum Side View Mirror Protrusion _____ cm**WRAP DISTANCES**




PEV38 Ground to Side/Top Transition _____ cm

PEV39 Ground to Hood Edge _____ cm

PEV40 Ground to Centerline of Hood (ORIGIN) _____ cm

PEV41 Ground to Head Contact _____ cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: _____ cm

ORIGINAL SPECIFICATIONS

Wheelbase	<u>141.5</u>	inches	x 2.54 =	<u> </u>	cm
Overall Length	<u>218</u>	inches	x 2.54 =	<u> </u>	cm
Maximum Width	<u>76.8</u>	inches	x 2.54 =	<u> </u>	cm
Curb Weight	<u>4115</u>	pounds	x .4536 =	<u>1867</u>	kg
Average Track	<u> </u>	inches	x 2.54 =	<u> </u>	cm
Front Overhang	<u> </u>	inches	x 2.54 =	<u> </u>	cm
Rear Overhang	<u> </u>	inches	x 2.54 =	<u> </u>	cm
Undeformed End Width	<u> </u>	inches	x 2.54 =	<u> </u>	cm
Engine Size: cyl./displ.	<u> </u>	cc	x .001 =	<u>57</u>	L
	<u> </u>	CID	x .0164 =	<u> </u>	L

INJURY SOURCE

FRONT

- 700 Front bumper
- 701 Front lower valance/spoiler
- 702 Front grille
- 703 Hood edge and/or trim
- 704 Hood ornament (fixed)
- 705 Hood ornament (spring loaded)
- 706 Headlight
- 707 Retractable headlight door (Open/Closed)
- 708 Turn signal/parking lights
- 718 Other front or add on object
(specify):
- 719 Unknown front object

Left Side Components

- 720 Front fender side surface
- 721 Front antenna
- 722 A1 pillar
- 723 A2 pillar
- 724 B pillar
- 725 C pillar
- 726 D pillar
- 728 Other pillar
(specify):
- 729 Left side roof rail
- 730 Left side door surface
- 731 Left side door handle
- 732 Left side mirror fixed housing
- 733 Left side folding mirror
- 734 Left side glazing forward of B pillar
- 735 Left side glazing rearward of B pillar
- 736 Left side back fender or quarter panel
- 737 Rear antenna
- 738 Other left side object
(specify):
- 739 Unknown left side component

Right Side Components

- 740 Front fender side surface
- 741 Front antenna
- 742 A1 pillar
- 743 A2 pillar

- 744 B pillar
- 745 C pillar
- 746 D pillar
- 748 Other pillar (specify):
- 749 Right side roof rail
- 750 Right side door surface
- 751 Right side door handle
- 752 Right side mirror fixed housing
- 753 Right side folding mirror
- 754 Right side glazing forward of B pillar
- 755 Right side glazing rearward of B pillar
- 756 Rear antenna
- 757 Rear fender or quarter panel
- 758 Other right side object
(specify):
- 759 Unknown right side component

Back Components

- 760 Rear (back) bumper
- 761 Tailgate
- 762 Hatchback, vertical surface
- 768 Other back component
(specify):
- 769 Unknown back component

Top Components

- 770 Hood surface
- 771 Hood surface reinforced by under hood component
- 772 Front fender top surface
- 773 Cowl area
- 774 Wiper blade & mountings
- 775 Windshield glazing
- 776 Front header
- 777 Roof surface
- 778 Backlight glazing
- 779 Rear header
- 780 Hatchback
- 781 Rear trunk lid
- 788 Other top component (specify):
- 789 Unknown top component

Wheels / tires

- 790 Left front wheel / tire
- 791 Right front wheel / tire
- 792 Left rear wheel / tire
- 793 Right rear wheel / tire
- 798 Other wheel / tire (specify):
- 799 Unknown wheel / tire

Undercarriage components

- 800 Front cross member
- 801 Steering assembly/Front suspension
- 802 Oil pan
- 803 Exhaust system pipe
- 804 Transmission
- 805 Drive shaft
- 806 Catalytic converter
- 807 Muffler
- 808 Floor pan
- 809 Fuel tank
- 810 Rear suspension
- 818 Other undercarriage component
(specify):
- 819 Unknown undercarriage component

Accessories

- 820 Air scoop, deflector
- 821 Cellular or CB radio antenna
- 822 Emergency lights or bar
- 823 Fog lights
- 824 Luggage, ski, or bike rack
- 825 Cargo (specify):
- 826 Spare tire
- 827 Spotlight
- 828 Other accessory (specify):

Other Object or Vehicle in Environment

- 947 Ground
- 948 Other object (specify):
- 949 Unknown object in environment
- 959 Unknown object on contacting vehicle
- 997 Noncontact injury source
- 999 Unknown injury source

PEDESTRIAN CONTACT WORKSHEET

[illegible]

VEHICLE DIMENSIONS

4. Original Wheelbase

Code to the
nearest centimeter
(999) Unknown

1415 inches X 2.54 = 359 centimeters

5. Original Average Track Width

Code to the
nearest centimeter
(185) 185 centimeters or more
(999) Unknown

_____ inches X 2.54 = _____ centimeters

6. Hood Material

- (1) Plastic
(2) Fiberglass
(3) Steel
(4) Aluminum
(5) Stainless Steel
(8) Other (specify): _____
(9) Unknown

7. Hood Original

- Equipment Manufacturer (OEM)
(1) OEM factory installed hood
(2) OEM replacement
(3) Non-OEM replacement
(9) Unknown

8. Hood Length

Code to the
nearest centimeter
(180) 180 centimeters or more
(999) Unknown

_____ inches X 2.54 = _____ centimeter

9. Hood Width Forward Opening

Code to the
nearest centimeter
(210) 210 centimeters or more
(999) Unknown

_____ inches X 2.54 = _____ centimeters

10. Hood Width Midway

Code to the
nearest centimeter
(210) 210 centimeters or more
(999) Unknown

_____ inches X 2.54 = _____ centimeters

11. Hood Width Rear Opening

Code to the
nearest centimeter
(210) 210 centimeters or more
(999) Unknown

_____ inches X 2.54 = _____ centimeters

12. Hood/Fender Vertical/Lateral Crush From Pedestrian

- (0) Not damaged
(1) Surface scratching only, no residual crush
(2) Minor crush (1-3 centimeters)
(3) Moderate crush (4-7 centimeters)
(4) Severe crush (> 7 centimeters)
(8) Damage present, unknown if damage is from pedestrian impact
(9) Unknown

13. Windshield Contact Damage

- From Pedestrian Contact
(0) Not contacted by pedestrian
(1) Contacted by pedestrian - not damaged
(2) Contacted by pedestrian - damaged
(3) Unknown if contacted by pedestrian - not damaged
(4) Unknown if contacted by pedestrian - damaged
(9) Unknown if contacted by pedestrian - unknown if damaged

FRONT CONTACT DAMAGE

Front Vertical Measurements

14. Front Bumper Cover Material

- (0) No front contact
(1) Plastic Strip only
(2) Fiberglass
(3) Rubber
(4) Other (specify): St. Steel w/ Plastic Strip
(9) Unknown

15. Front Bumper Reinforcement Material

- (0) No front contact
(1) Steel
(2) Aluminum
(3) Stainless Steel
(4) Other (specify): _____
(9) Unknown

16. Front Bumper-Bottom Height

Code to the
nearest centimeter
(000) No front contact
(150) 150 centimeters or more
(999) Unknown

_____ inches X 2.54 = _____ centimeters

17. Front Bumper-Top Height 057
 _____ Code to the
 nearest centimeter
 (000) No front contact
 (150) 150 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

18. Forward Hood Opening 093
 _____ Code to the
 nearest centimeter
 (000) No front contact
 (200) 200 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

19. Front Bumper Lead 10
 (00) No front contact
 _____ Code to the
 nearest centimeter
 (30) 30 centimeters or more
 (99) Unknown

_____ inches X 2.54 = _____ centimeters

23. Ground to Base of Windshield 223
 _____ Code to the
 nearest centimeter
 (000) No front contact
 (400) 400 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

24. Ground to Top of Windshield 253
 _____ Code to the
 nearest centimeter
 (000) No front contact
 (500) 500 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

25. Ground To Head Contact 998
 _____ Code to the
 nearest centimeter
 (000) No front contact
 (400) 400 centimeters or more
 (998) No head contact
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

Front Wrap Distance Measurements

20. Ground to Forward Hood Opening 096
 _____ Code to the
 nearest centimeter
 (000) No front contact
 (200) 200 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

21. Ground to Front/Top Transition Point 091
 _____ Code to the
 nearest centimeter
 (000) No front contact
 (180) 180 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

22. Ground to Rear Hood Opening 214
 _____ Code to the
 nearest centimeter
 (000) No front contact
 (400) 400 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

SIDE CONTACT DAMAGE

Side Vertical Measurements

26. Ground Clearance 000
 _____ Code to the
 nearest centimeter
 (000) No side contact
 (150) 150 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

27. Side Bumper-Bottom Height 000
 _____ Code to the
 nearest centimeter
 (000) No side contact
 (150) 150 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

28. Side Bumper-Top Height 000
 _____ Code to the
 nearest centimeter
 (000) No side contact
 (150) 150 centimeters or more
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

29. Centerline of Wheel

_____ Code to the
nearest centimeter

(000) No side contact

(150) 150 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

30. Top of Tire

_____ Code to the
nearest centimeter

(000) No side contact

(200) 200 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

31. Top of Wheel Well Opening

_____ Code to the
nearest centimeter

(000) No side contact

(250) 250 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

32. Bottom of A-Pillar at Windshield

_____ Code to the
nearest centimeter

(000) No side contact

(250) 250 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

33. Top of A-Pillar at Windshield

_____ Code to the
nearest centimeter

(000) No side contact

(300) 300 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

34. Top of Side View Mirror

_____ Code to the
nearest centimeter

(000) No side contact

(300) 300 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

Side Lateral Measurements

35. Centerline to A-Pillar

at Bottom of Windshield

(000) No side contact

_____ Code to the
nearest centimeter

(250) 250 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

36. Centerline to A-Pillar

at Top of Windshield

_____ Code to the
nearest centimeter

(000) No side contact

(250) 250 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeter

37. Centerline to Maximum Side

View Mirror Protrusion

_____ Code to the
nearest centimeter

(000) No side contact

(300) 300 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeter

Side Wrap Distance Measurements

38. Ground to Side/Top Transition

_____ Code to the
nearest centimeter

(000) No side contact

(400) 400 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

39. Ground to Hood Edge

_____ Code to the
nearest centimeter

(000) No side contact

(500) 500 centimeters or more

(999) Unknown

_____ inches X 2.54 = _____ centimeters

40. Ground to Centerline of Hood

000

- Code to the
nearest centimeter
(000) No side contact
(700) 700 centimeters or more
(999) Unknown

_____ inches X 2.54 = _____ centimeters

41. Ground to Head Contact

000

- Code to the
nearest centimeter
(000) No side contact
(800) 800 centimeters or more
(998) No head contact
(999) Unknown

_____ inches X 2.54 = _____ centimeters

National Accident Sampling System-Crashworthiness Data System: Field Measurement form

VEHICLE DAMAGE SKETCH

VIN Per Video

Year 93

Make Cheve

Model 150

Hood Material

Steel

Bumper Cover Type

Steel / Plastic Step

Bumper Reinforcement Material

Steel

Hood Widths

Rear Opening 167

83 x 2
Midway

Front Opening 163

115 Hood Length

10 Bumper lead

Wraps

Top Windshield 240 + 18

Bottom Windshield 140 + 88

Rear Hood 79 - 5

Transition 91 86

Front Hood 96

Vertical Heights



82 Forward Hood Opening

53 Bumper Top

41 Bumper Bottom

Location of Origin (Intercept) 140 + 48 - 5 = 183

Head Wrap Measurement N/A



BRANHAM AUTOMOBILE REFERENCE BOOK-TRUCK SECTION

Chevrolet Div., General Motor Corp., Detroit, MI 48202

Type of Body	Model	W.B.	Inches	Ship.	Tax	Max	Ins	List
Pass. Cap.			Lt. Wt.	Ht. Wt.	H.P.	GVW	wgt class	Price

Power Drivers Seat (AG9)-\$270; Speed Control (K34)-\$225; LS Pkg (WVA1)-\$1098; 6-PS Seating (AB3)-\$510; 7-PS Seating (ZP7) (std)-\$660 (LS)-\$150; Trailering Pkg (V92)-\$150

1993 S 10 Pickups 4 cyl 2.5 liter EFI Gas Engine (L38)

Bore & Stroke 4.0x3.48; Tax H.P. 25.6; SAE H.P. 105@4000; Torque 135@3200; P.D. 151 cu in., 2.5 liter
Man. Trans. 5-speed; Box size (Reg. Short Box) L73.1 (Reg. Long Box) L89.0 (Ext. Short Box) L73.1 W55.3" D15.8";
Payload 1218/1901; Seating Arrangements 3-PS 2-PS & 4-PS

Fleetside										
EL 6' 2WD E63X81	CS10603	108.3"	178.2"	64.7"	61.3"	2633	25.6	4200	L	9,215
6' 2WD E63X96	CS10603	108.3"	178.2"	64.7"	61.3"	2697	25.6	4200-4600	L	10,600
7.3' 2WD E63	CS10803	117.9"	194.2"	64.7"	61.3"	2772	25.6	4200-4900	L	10,900
6' 2WD Ext. Cab. E63	CS10653	122.9"	192.8"	64.7"	61.3"	2832	25.6	4200-4600	L	12,100

1993 T 10 Pickups V6 cyl 4.3 liter EFI Gas Engine (LB4)

Bore & Stroke 4.0x3.48; Tax H.P. 38.4; SAE H.P. 165@4000; Torque 235@2400; P.D. 262 cu in., 4.3 liter
Man. Trans. 5-speed; Box size (Reg. Short Box) L73.1 (Reg. Long Box) L89.0 (Ext. Short Box) L73.1 W55.3" D15.8";
Payload 1216/1901; Seating Arrangements 3-PS 2-PS & 4-PS

Fleetside										
EL 6' 4WD E63X81	CT10603	108.3"	178.2"	64.7"	63.4"	3229	38.4	4650	L	13,015
6' 4WD E63X96	CT10603	108.3"	178.2"	64.7"	63.4"	3255	38.4	4650-5150	L	14,166
7.3' 4WD E63	CT10803	117.9"	194.2"	64.7"	63.4"	3300	38.4	4650-5150	L	14,466
6' Ext. Cab. 4WD E63	CT10653	122.9"	192.8"	64.7"	63.4"	3372	38.4	4650-5150	L	15,666

Options S/T 10 Pickups: Destination Charge-\$470; V6 2.8 liter EFI Gas Engine (LL2) S10-\$390; V6 4.3 liter EFI Gas Engine (LB4) S10-\$620; Auto. Trans. 4-speed w/d. (MX0)-\$890; Air conditioning (C60)-\$755; Air Dam w/Fog Lamps (ANL) S10-\$115; Locking Differential (G80)-\$252; Radio AM/FM Stereo (UM5)-\$131; Speed Control Electronic (K34)-\$238; Power Steering (N40) S10-\$275; Sliding Rear Windows (A28) w/o Tahoe Pkg-\$113; Tahoe Pkg (AAA1/1SC) S10-\$1716
S10 WLL2 Engine-\$2106 T10 WMMX Auto. Trans.-\$1696 T10 WMM5 Man. Trans.-\$1416

1993 C-K Pickups V6 cyl 4.3 liter Vortec EFI Gas Engine (LB4)

Bore & Stroke 4.0x3.48; Tax H.P. 38.4; SAE H.P. 165@4000; Torque 235@2400; P.D. 262 cu in., 4.3 liter
Man. Trans. 5-speed w/d.; Box Size (Short Box) L78.7" (Long Box) L97.6" (Sportside) W49.1 (Fleetside) W63.8" "D19.3"; Payload (1500) 1291/2082 (2500) 2010/4178 (3500) 3154/4782; Seating Arrangements (Reg. Cab) 2-PS & 3-PS (Ext. Cab) 6-PS, 5-PS & 3-PS (Crew Cab) 6-PS & 5-PS

Sportside											
C1500 6.5' 2WD E62	CC10703	117.5"	194.0"	77.1"	70.4"	3735	38.4	5600	L	14,580	
K1500 6.5' 4WD E62	CK10703	117.5"	194.0"	77.1"	70.4"	4141	38.4	6100	L	16,830	
Fleetside											
C1500 6.5' 2WD E63	CC10703	117.5"	194.0"	76.8"	70.4"	3718	38.4	5600	L	14,180	
C1500 8' 2WD E63	CC10903	131.5"	212.6"	76.8"	70.4"	3869	38.4	5600-6100	L	14,480	
C1500 8' WLT 2WD E63/VLA	CC10903	131.5"	212.6"	76.8"	74.0"	3819	38.4	5600-6100	L	11,850	
K1500 6.5' 4WD E63	CK10703	117.5"	194.0"	76.8"	70.4"	4111	38.4	6100	L	16,430	
K1500 8' 4WD E63	CK10903	131.5"	212.6"	76.8"	74.0"	4303	38.4	6100	L	16,720	
K1500 8' WLT 4WD E63/VLA	CK10903	131.5"	212.6"	76.8"	74.0"	4242	38.4	6100	L	15,080	
C2500 8' 2WD E63	CC20903	131.5"	212.6"	76.8"	72.2"	4023	38.4	7200	L	15,020	
K2500 8' 4WD E63	CK20903	131.5"	212.6"	76.8"	73.7"	4384	38.4	7200	L	16,890	
EXTENDED CAB Sportside											
C1500 6.5' 2WD E62	CC10753	141.5"	218.0"	76.8"	70.4"	4015	38.4	6200	L	16,125	
K1500 6.5' 4WD E62	CK10753	141.5"	218.0"	77.1"	74.0"	4401	38.4	6200-6600	L	18,378	
EXTENDED CAB Fleetside											
C1500 6.5' 2WD E63	CC10753	141.5"	218.0"	76.8"	74.9"	3998	38.4	6200	L	15,725	
C1500 8' 2WD E63	CC10953	155.5"	237.0"	76.8"	74.9"	4129	38.4	6200	L	15,985	
K1500 6.5' 4WD E63	CK10753	141.5"	218.0"	76.8"	74.0	4426	38.4	6200-6600	L	17,978	
K1500 8' 4WD E63	CK10953	155.5"	237.0"	76.8"	75.7"	4581	38.4	6200-6600	L	18,268	
C2500 6.5' 2WD E63	CC20753	141.5"	218.0"	76.8"	74.9	4131	38.4	7200	L	16,835	
C2500 8' 2WD E63	CC20953	155.5"	237.0"	76.8"	74.9"	4266	38.4	7200	L	17,115	
K2500 6.5' 4WD E63	CK20753	141.5"	218.0"	76.8"	75.7"	4481	38.4	7200	L	18,547	
K2500 8' 4WD E63	CK20953	155.5"	237.0"	76.8"	75.7"	4637	38.4	7200	L	18,847	

1993 C-K Pickups V6 cyl 4.3 liter HD EFI Gas Engine (LB4)

Bore & Stroke 4.0x3.48; Tax H.P. 38.4; SAE H.P. 155@4000; Torque 230@2400; P.D. 262 cu in., 4.3 liter
Man. Trans. 5-speed w/d.; Box Size (Short Box) L78.7" (Long Box) L97.6" (W49.1 (Fleetside) W63.8" "D19.3"; Payload (1500) 1291/2082 (2500) 2010/4178 (3500) 3154/4782; Seating Arrangements (Reg. Cab) 2-PS & 3-PS (Ext. Cab) 6-PS, 5-PS & 3-PS (Crew Cab) 6-PS & 5-PS

Cody, WY, 83401 (Cody, WY, 83401)										
Fleetside										
C2500 8' 2WD E63/C6P	CC20903	131.5"	212.6"	76.8"	72.2"	4230	38.4	8600	L	15,953
K2500 8' 4WD E63/C6P	CC20903	131.5"	212.6"	76.8"	73.7"	4584	38.4	8600	L	18,234
EXTENDED CAB Fleetside										
C2500 8' 2WD E63/C6P	CC20953	155.5"	237.0"	76.8"	74.9"	4496	38.4	8600	L	17,609
K2500 8' 4WD E63/C6P	CK20953	155.5"	237.0"	76.8"	75.7"	4861	38.4	8600	L	19,909

BRANHAM AUTOMOBILE REFERENCE BOOK-TRUCK SECTION

Chevrolet Div., General Motor Corp., Detroit, MI 48202

Type of Body	Model	W.B.	Inches	Ship.	Tax	Max	Ins	List
Pass. Cap.			Lt. Wt.	Ht. Wt.	H.P.	GVW	wgt class	Price

1993 C-K Pickup V8 cyl 5.7 liter HD EFI Gas Engine (LO5)

Bore & Stroke 4.0x3.48; Tax H.P. 51.2; SAE H.P. 190@4000; Torque 300@2400; P.D. 350 cu in., 5.7 liter
Man. Trans. 5-speed w/d.; Box Size (Short Box) L78.7" (Long Box) L97.6" (W49.1 (Fleetside) W63.8" "D19.3"; Payload (1500) 1291/2082 (2500) 2010/4178 (3500) 3154/4782; Seating Arrangements (Reg. Cab) 2-PS & 3-PS (Ext. Cab) 6-PS, 5-PS & 3-PS (Crew Cab) 6-PS & 5-PS

C3500 8' Fleetside 2WD E63	CC30903	131.5"	212.6"	76.8"	72.2"	4636	51.2	9000-10000	L	16,758
K3500 8' Fleetside 4WD E63	CK30903	131.5"	212.6"	76.8"	73.7"	5042	51.2	9200-10000	L	18,998
EXTENDED CAB										
C3500 8' Fleetside 2WD E63	CC30953	155.5"	237.0"	76.8"	74.9"	4981	51.2	9000	L	18,419
K3500 8' Fleetside 4WD E63	CK30953	155.5"	237.0"	76.8"	75.7"	5290	51.2	9200	L	20,709
CREW CAB										
C3500 8' Fleetside 2WD E63	CC30943	168.5"	255.6"	76.8"	85.3"	5279	51.2	9000	L	18,739
K3500 8' Fleetside 4WD E63	CK30943	168.5"	255.6"	76.8"	85.0"	5652	51.2	9200	L	21,739

1993 C-K Pickups V8 cyl 7.4 liter EFI Gas Engine (L19)

Bore & Stroke 4.25x4.0; Tax H.P. 57.8; SAE H.P. 255@4000; Torque 405@2400; P.D. 454 cu in., 7.4 liter
Man. Trans. 5-speed w/d.; Box Size (Short Box) L78.7" (Long Box) L97.6" (W49.1 (Fleetside) W63.8" "D19.3"; Payload (1500) 1291/2082 (2500) 2010/4178 (3500) 3154/4782; Seating Arrangements (Reg. Cab) 2-PS & 3-PS (Ext. Cab) 6-PS, 5-PS & 3-PS (Crew Cab) 6-PS & 5-PS

C1500 6.5' Fleetside	CC10703	117.5"	194.0"	76.8"	70.4"	4073	57.8	5600	L	21,835
SS 2WD E63/4U										
Options C-K Pickups: Destination Charge-\$595; V8 cyl 5.0 liter EFI Gas Engine (LO3) (1500 & 2500)-\$575; V8 cyl 5.7 liter EFI Gas Engine (LO5) (1500 & 2500)-\$845 w/R9A-\$270; V8 cyl 7.4 liter EFI Gas Engine (L19) (2500)-\$1315 w/R9A-\$740 (Reg Cab 3500)-\$605 (Ext Cab 3500 & Crew Cab)-\$470; V8 cyl 6.2 liter LD Diesel Engine (LH6) (1500 & 2500)-\$2400 w/R9A-\$1825; V8 cyl 6.2 liter HD Diesel Engine (LL4) (2500)-\$2400 w/R9A-\$1825 (3500)-\$1555; V8 cyl 6.5 liter Turbo Diesel Engine (L65) (2500)-\$3100 w/R9A-\$2525 (3500 & Crew Cab)-\$2255; Alternative Fuel (KL5)-\$125; Man. Trans. 5-speed Heavy Duty (MT8) (1500 & 2500)-\$98; Auto. Trans. 4-speed (MX0)-\$890; Air Conditioning (C60)-\$805; Locking Differential (G80)-\$252; Battery Heavy Duty Auxiliary (TP2)-\$134; Bedliner (BZY)-\$225; Power Door Locks & Windows (ZQ2)-\$367; Tilt Steering Wheel & Speed & Cruise Control (ZQ3)-\$343; Calif Emissions (YF5) (1500 & 2500)-\$100; Radio AM/FM Stereo (UM7)-\$170; Reclining Low Back Bucket Seat-\$289; Reclining Split Bench Seat-\$174; Reclining High Back Bucket Seat-\$490; Tachometer (U16)-\$59; Sliding Rear Window (A28)-\$113; Heavy Duty Front Springs (F60)-\$63; Cheyenne Pkg 2 (P1B2/1SB) (1500, 2500 & 3500)-\$975; Silverado Pkg 3 (P1B3/1SC) (1500)-\$1924 (2500 & 3500)-\$2461 (Crew Cab)-\$2541; Silverado Pkg 4 (P1B4/1SD) (1500)-\$2795										

1993 Chevy G30 Commercial Trucks RWD V8 cyl 5.7 liter HD EFI Gas Engine (LO5)

Bore & Stroke 4.0x3.48; Tax H.P. 51.2; SAE H.P. 190@4000; Torque 300@2400; P.D. 350 cu in., 5.7 liter
Auto. Trans. 4-speed; Cargo Space (cu.ft.) (Hi-Cube Van Steel) 10' - 406.0 t, 12' - 564 (Hi-Cube Aluminum) 14' - 700.0

G 30 Hi-Cube Van										
G30 Van Steel 10' E34	CG31303	125.0"	213.5"	95.2"	109.8"	4959	51.2	9200	L	19,952
G30 Van Steel 12' E34/C7A	CG31803	146.0"	237.5"	95.2"	109.8"	5473	51.2	10000	L	21,418
G30 Van Steel 12' E34/C7C	CG31803	146.0"	237.5"	95.2"	109.8"	5473	51.2	10500	M	22,118
G30 Van Alm 14' E30/C7A	CG31803	146.0"	263.1"	93.7"	113.5"		51.2	10000	L	21,418
G30 Van Alm 14' E30/C7C	CG31803	146.0"	263.1"	93.7"	113.5"		51.2	10500	M	22,106
G 30 Commercial Cutaway Van										
G30 CutAway ZW9/R04/C6W	CG31303	125.0"	199.4"	79.2"	81.7"	4006	51.2	9200	L	15,952
G30 CutAway ZW9/R05/C7A	CG31303	125.0"	199.5"	92.9"	81.7"	4006	51.2	10000	L	15,952
G30 CutAway ZW9/B30/C6W	CG31603	146.0"	220.5"	79.2"	81.7"	4148	51.2	9200	L	16,301
G30 CutAway ZW9/C7A	CG31603	146.0"	220.5"	92.9"	81.7"	4148	51.2	10000	L	17,086
G30 CutAway ZW9/C7C	CG31606	146.0"	220.5"	92.9"	81.7"	4148	51.2	10500	M	17,776
G 30 Recreational Vehicle Cutaway Van										
G30 CutAway ZW9	CG31332	125.0"	199.5"	92.2"	81.7"	4204	51.2	8900	L	16,666
G30 CutAway ZW9/C7Q	CG31332	125.0"	199.5"	92.9"	81.7"	4204	51.2	10200	M	
G30 CutAway ZW9	CG31632	146.0"	220.5"	92.2"	81.7"	4400	51.2	10500	M	17,086

Options Hi-Cube & Cutaway Van: V8 cyl 7.4 liter EFI Gas Engine (L19)-\$605; V8 cyl 6.2 liter HD Diesel Engine (LL4)-\$1555; Air Conditioning (C60)-\$975; Speed Control & Comfort Steering Wheel (ZQ3)-\$383; HD Radiator (V02)-\$63; HD Radiator & Transmission Oil Cooler (AU3)-\$223; Exterior Mirror (DF2)-\$112; Radio AM/FM Stereo (UM7)-\$86 w/cas-sette (UM6)-\$208; Aux. Seat (A57)-\$187; Special Interior Trim (Z73)-\$421; Power Windows (A31)-\$211; Dual Rear Wheels (R06)-\$375

1993 Chevy P30 Commercial Trucks RWD V8 cyl 4.3 liter HD EFI Gas Engine (LB4)

Bore & Stroke 4.0x3.48; Tax H.P. 38.4; SAE H.P. 155@4000; Torque 230@2400; P.D. 262 cu in., 4.3 liter
Auto. Trans. 4-speed; Cargo Space (cu.ft.) (P30 Step-Van Steel) 10.5'-415.5, 12.5'-496.5, 14.5'-777.5 (P30 Step-Van Aluminum) 10.5'-412.5, 12.5'-503.2, 14.5'-585.5, 18'-729.1; Payloads (lbs) (P30 Step-Van Steel) 448/7200 (P30 Step-Van Aluminum) 1641/8224 (P-Chassis) 3675/9911

Van Community 10-110224 (11 Class) 5073591									
Single Rear Wheels									
P30 Step-Van Steel 10.5' E32 CP30842	125.0"	226.8"	85.6"	106.0"	38.4	7600-11000	L	18,439	
P30 Step-Van Steel 10.5' E32 CP30842	125.0"	226.8"	85.6"	106.0"	38.4	12000-14500	M	18,439	
P30 Step-Van Steel 12.5' E32 CP31042	133.0"	250.8"	85.6"	106.0"	38.4	7600-11000	L	18,799	
P30 Step-Van Steel 12.5' E32 CP31042	133.0"	250.8"	85.6"	106.0"	38.4	12000-14500	M	18,159	

[illegible][illegible][illegible]